Toxicology, 53 (1988) 365–368
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

SUBJECT INDEX

Volume 53 (1988)

acetaminophen, carbon tetrachloride, dichloroethylene, halothane, hepatotoxicity, lipid peroxidation, misoprostol, thioacetamide, 213
acetaminophen, metallothionein, hepatotoxicity, 323
acid hydrazides, toxicity, teratogenicity, amphibian model, structure-activity relationships, 147
adrenal changes, corticosterone, thymic atrophy, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-(TCDD), 19
adriamycin, lipid peroxidation, metallothionein, bismuth, zinc, cadmium, 231
air pollution, ozone, fibrosis, free radicals, 113
β-aminopropionitrile, silica, pulmonary fibrosis, lathyrogen, proline analogue, *cis*-hydroxyproline, antifibrotic agents, 331
amphibian model, toxicity, teratogenicity, acid hydrazides, structure-activity relationships, 147
anemia, lead, blood, erythrocyte, erythrocyte survival, sialic acid, 269
anthralin (1,8-dihydroxy-9-anthrone), tumor promoter, metabolic cooperation, immunotoxicity, polyphenolic, 199
antifibrotic agents, silica, pulmonary fibrosis, lathyrogen, proline analogue, *cis*-hydroxyproline, β-aminopropionitrile, 331

behavioral thermoregulation, metabolic rate, body temperature, regulated hypothermia, pesticides, ethanol, xenobiotic compounds, 161
bismuth, adriamycin, lipid peroxidation, metallothionein, zinc, cadmium, 231
bladder, butylated hydroxyanisole, forestomach, reversibility, carcinoma, Fischer 344 rat, 251
bleomycin, interstitial pulmonary fibrosis, oxygen toxicity, 45
blood, lead, erythrocyte, anemia, erythrocyte survival, sialic acid, 269
body temperature, behavioral thermoregulation, metabolic rate, regulated hypothermia, pesticides, ethanol, xenobiotic compounds, 161
2(3)-*tert*-butyl-4-hydroxyanisole, metabolism, rat, forestomach, 33
butylated hydroxyanisole, forestomach, bladder, reversibility, carcinoma, Fischer 344 rat, 251

cadmium, adriamycin, lipid peroxidation, metallothionein, bismuth, zinc, 231
cadmium, cell membrane/cytoplasm solubilization, NP_{40}, flow cytometry, tributyltin, zinc, 69
cadmium, hypophosphatemia, serum calcium, serum phosphorus, parathyroid hormone (PTH), hyperparathyroidism, Cd toxicity, 1
cadmium, L-cysteine, nephrotoxicity, testicular damage, dithiocarbamates, 135
carbon tetrachloride, acetaminophen, dichloroethylene, halothane, hepatotoxicity, lipid peroxidation, misoprostol, thioacetamide, 213
carcinoma, butylated hydroxyanisole, forestomach, bladder, reversibility, Fischer 344 rat, 251
CAS No. 94-96-2, 2-ethylhexane 1,3-diol, genetic toxicology, mutagenicity, genotoxicity, insect repellents, 179
Cd toxicity, cadmium, hypophosphatemia, serum calcium, serum phosphorus, parathyroid hormone (PTH), hyperparathyroidism, 1
cell membrane/cytoplasm solubilization, NP_{40} flow cytometry, tributyltin, zinc, cadmium, 69
chelate treatment, lead mobilization, tissue lead levels, 277
cis-hydroxyproline, silica, pulmonary fibrosis, lathyrogen, proline analogue, β-aminopropionitrile, antifibrotic agents, 331
corticosterone, thymic atrophy, adrenal changes, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin(TCDD), 19

cynomolgus monkey, L-triiodothyronine ($L\text{-}T_3$), toxicity, rat, 89
L-cysteine, cadmium, nephrotoxicity, testicular damage, dithiocarbamates, 135
cytochrome *b*-5, cytochrome *P*-450, isoenzymes, trichloroethylene, NADPH-cytochrome *c* reductase, induction, 239
cytochrome *P*-450, epoxide hydrolase, induction of microsomal enzymes, polychlorinated biphenyls, structure-activity relationships, 289
cytochrome *P*-450, isoenzymes, trichloroethylene, cytochrome *b*-5, NADPH-cytochrome *c* reductase, induction, 239

deltamethrin, pyrethroid, ethylene-bisdithiocarbamate, serum- and gut-enzymes, deltamethrin content of fatty tissue, 107
deltamethrin content of fatty tissue, pyrethroid, deltamethrin, ethylene-bisdithiocarbamate, serum- and gut-enzymes, 107
dermal cancer, middle distillate fuels, diesel fuel, heating oil, 301
dichloroethylene, acetaminophen, carbon tetrachloride, halothane, hepatotoxicity, lipid peroxidation, misoprostol, thioacetamide, 213
diesel fuel, dermal cancer, middle distillate fuels, heating oil, 301
dithiocarbamates, cadmium, L-cysteine, nephrotoxicity, testicular damage, 135
dopamine receptors, striatum, N.accumbens, lead, rats, 315

embryo implantation, pregnancy, estrogen receptors, O,P′-DDT, 79
epoxide hydrolase, cytochrome *P*-450, induction of microsomal enzymes, polychlorinated biphenyls, structure-activity relationships, 289
erythrocyte, lead, blood, anemia, erythrocyte survival, sialic acid, 269
erythrocyte survival, lead, blood, erythrocyte, anemia, sialic acid, 269
estrogen receptors, embryo implantation, pregnancy, O,P′-DDT, 79
ethanol, behavioral thermoregulation, metabolic rate, body temperature, regulated hypothermia, pesticides, xenobiotic compounds, 161
ethanol, methylmercury, neurotoxicity, nephrotoxicity, hepatotoxicity, histopathology, 345
ethylene-bisdithiocarbamate, pyrethroid, deltamethrin, serum- and gut-enzymes, deltamethrin content of fatty tissue, 107
2-ethylhexane 1,3-diol, genetic toxicology, mutagenicity, genotoxicity, insect repellents, CAS No. 94-96-2, 179

fibrosis, ozone, air pollution, free radicals, 113
Fischer 344 rat, butylated hydroxyanisole, forestomach, bladder, reversibility, carcinoma, 251
flow cytometry, cell membrane/cytoplasm solubilization, NP_{40}, tributyltin, zinc, cadmium, 69
forestomach, 2(3)-*tert*-butyl-4-hydroxyanisole, metabolism, rat, 33
forestomach, butylated hydroxyanisole, bladder, reversibility, carcinoma, Fischer 344 rat, 251
free radicals, ozone, air pollution, fibrosis, 113

genetic toxicology, 2-ethylhexane 1,3-diol, mutagenicity, genotoxicity, insect repellents, CAS No. 94-96-2, 179
genotoxicity, 2-ethylhexane 1,3-diol, genetic toxicology, mutagenicity, insect repellents, CAS No. 94-96-2, 179
glutathione, thallous malonate, lipid peroxidation, glutathione peroxidase, serum enzyme, hamster, 11
glutathione peroxidase, thallous malonate, lipid peroxidation, glutathione, serum enzyme, hamster, 11

halothane, acetaminophen, carbon tetrachloride, dichloroethylene, hepatotoxicity, lipid peroxidation, misoprostol, thioacetamide, 213
hamster, thallous malonate, lipid peroxidation, glutathione, glutathione peroxidase, serum enzyme, 11
heating oil, dermal cancer, middle distillate fuels, diesel fuel, 301
hepatotoxicity, acetaminophen, carbon tetrachloride, dichloroethylene, halothane, lipid peroxidation, misoprostol, thioacetamide, 213
hepatotoxicity, ethanol, methylmercury, neurotoxicity, nephrotoxicity, histopathology, 345
hepatotoxicity, metallothionein, acetaminophen, 323
histopathology, nitrobenzene, vasocystotomy, testes, rat, spermatogenesis, 219
histopathology, ethanol, methylmercury, neurotoxicity, nephrotoxicity, hepatotoxicity, 345
hyperparathyroidism, cadmium, hypophosphatemia, serum calcium, serum

phosphorus, parathyroid hormone (PTH), Cd toxicity, 1
hypophosphatemia, cadmium, serum calcium, serum phosphorus, parathyroid hormone (PTH), hyperparathyroidism, Cd toxicity, 1

immunotoxicity, anthralin (1,8-dihydroxy-9-anthrone), tumor promoter, metabolic cooperation, polyphenolic, 199
induction, cytochrome *P*-450, isoenzymes, trichloroethylene, cytochrome *b*-5, NADPH-cytochrome *c* reductase, 239
induction of microsomal enzymes, cytochrome *P*-450, epoxide hydrolase, polychlorinated biphenyls, structure-activity relationships, 289
insect repellents, 2-ethylhexane 1,3-diol, genetic toxicology, mutagenicity, genotoxicity, CAS No. 94-96-2, 179
interstitial pulmonary fibrosis, bleomycin, oxygen toxicity, 45
irradiation, synergism, ochratoxin A, residual myelotoxicity, mice, 57
isoenzymes, cytochrome *P*-450, trichloroethylene, cytochrome *b*-5, NADPH-cytochrome *c* reductase, induction, 239

lathyrogen, silica, pulmonary fibrosis, proline analogue, *cis*-hydroxyproline, β-aminopropionitrile, antifibrotic agents, 331
lead, blood, erythrocyte, anemia, erythrocyte survival, sialic acid, 269
lead, striatum, N.accumbens, dopamine receptors, rats, 315
lead mobilization, chelate treatment, tissue lead levels, 277
lipid peroxidation, acetaminophen, carbon tetrachloride, dichloroethylene, halothane, hepatotoxicity, misoprostol, thioacetamide, 213
lipid peroxidation, adriamycin, metallothionein, bismuth, zinc, cadmium, 231
lipid peroxidation, thallous malonate, glutathione, glutathione peroxidase, serum enzyme, hamster, 11

metabolic cooperation, anthralin (1,8-dihydroxy-9-anthrone), tumor promoter, immunotoxicity, polyphenolic, 199
metabolic rate, behavioral thermoregulation, body temperature, regulated hypothermia, pesticides, ethanol, xenobiotic compounds, 161
metabolism, 2(3)-*tert*-butyl-4-hydroxyanisole, rat, forestomach, 33
metallothionein, acetaminophen, hepatotoxicity, 323
metallothionein, adriamycin, lipid peroxidation, bismuth, zinc, cadmium, 231
methylmercury, ethanol, neurotoxicity, nephrotoxicity, hepatotoxicity, histopathology, 345
mice, synergism, ochratoxin A, irradiation, residual myelotoxicity, 57
middle distillate fuels, dermal cancer, diesel fuel, heating oil, 301
misoprostol, acetaminophen, carbon tetrachloride, dichloroethylene, halothane, hepatotoxicity, lipid peroxidation, thioacetamide, 213
mutagenicity, 2-ethylhexane 1,3-diol, genetic toxicology, genotoxicity, insect repellents, CAS No. 94-96-2, 179

N.accumbens, striatum, dopamine receptors, lead, rats, 315
NADPH-cytochrome *c* reductase, cytochrome *P*-450, isoenzymes, trichloroethylene, cytochrome *b*-5, induction, 239
nephrotoxicity, cadmium, L-cysteine, testicular damage, dithiocarbamates, 135
nephrotoxicity, ethanol, methylmercury, neurotoxicity, hepatotoxicity, histopathology, 345
neurotoxicity, ethanol, methylmercury, nephrotoxicity, hepatotoxicity, histopathology, 345
nitrobenzene, vasocystotomy, testes, rat, spermatogenesis, histopathology, 219
NP_{40}, cell membrane/cytoplasm solubilization, flow cytometry, tributyltin, zinc, cadmium, 69
O,P′-DDT, embryo implantation, pregnancy, estrogen receptors, 79
ochratoxin A, synergism, irradiation, residual myelotoxicity, mice, 57
oxygen toxicity, interstitial pulmonary fibrosis, bleomycin, 45
ozone, air pollution, fibrosis, free radicals, 113

parathyroid hormone (PTH), cadmium, hypophosphatemia, serum calcium, serum phosphorus, hyperparathyroidism, Cd toxicity, 1
pesticides, behavioral thermoregulation, metabolic rate, body temperature, regulated hypothermia, ethanol, xenobiotic compounds, 161
polychlorinated biphenyls, cytochrome *P*-450, epoxide hydrolase, induction of microsomal enzymes, structure-activity relationships, 289
polyphenolic, anthralin (1,8-dihydroxy-9-anthrone), tumor promoter, metabolic cooperation, immunotoxicity, 199

pregnancy, embryo implantation, estrogen receptors, O,P'-DDT, 79
proline analogue, silica, pulmonary fibrosis, lathyrogen, *cis*-hydroxyproline, β-aminopropionitrile, antifibrotic agents, 331
pulmonary fibrosis, silica, lathyrogen, proline analogue, *cis*-hydroxyproline, β-aminopropionitrile, antifibrotic agents, 331
pyrethroid, deltamethrin, ethylene-bisdithiocarbamate, serum- and gut-enzymes, deltamethrin content of fatty tissue, 107

rat, 2(3)-*tert*-butyl-4-hydroxyanisole, metabolism, forestomach, 33
rat, L-triiodothyronine (L-T_3), toxicity, cynomolgus monkey, 89
rat, nitrobenzene, vasocystotomy, testes, spermatogenesis, histopathology, 219
rats, striatum, N.accumbens, dopamine receptors, lead, 315
regulated hypothermia, behavioral thermoregulation, metabolic rate, body temperature, pesticides, ethanol, xenobiotic compounds, 161
residual myelotoxicity, synergism, ochratoxin A, irradiation, mice, 57
reversibility, butylated hydroxyanisole, forestomach, bladder, carcinoma, Fischer 344 rat, 251

serum- and gut-enzymes, pyrethroid, deltamethrin, ethylene-bisdithiocarbamate, deltamethrin content of fatty tissue, 107
serum calcium, cadmium, hypophosphatemia, serum phosphorus, parathyroid hormone (PTH), hyperparathyroidism, Cd toxicity, 1
serum enzyme, thallous malonate, lipid peroxidation, glutathione, glutathione peroxidase, hamster, 11
serum phosphorus, cadmium, hypophosphatemia, serum calcium, parathyroid hormone (PTH), hyperparathyroidism, Cd toxicity, 1
sialic acid, lead, blood, erythrocyte, anemia, erythrocyte survival, 269
silica, pulmonary fibrosis, lathyrogen, proline analogue, *cis*-hydroxyproline, β-aminopropionitrile, antifibrotic agents, 331
spermatogenesis, nitrobenzene, vasocystotomy, testes, rat, histopathology, 219
striatum, N.accumbens, dopamine receptors, lead, rats, 315
structure-activity relationships, cytochrome *P*-450, epoxide hydrolase, induction of microsomal enzymes, polychlorinated biphenyls, 289
structure-activity relationships, toxicity, teratogenicity, acid hydrazides, amphibian model, 147
synergism, ochratoxin A, irradiation, residual myelotoxicity, mice, 57

teratogenicity, toxicity, acid hydrazides, amphibian model, structure-activity relationships, 147
testes, nitrobenzene, vasocystotomy, rat, spermatogenesis, histopathology, 219
testicular damage, cadmium, L-cysteine, nephrotoxicity, dithiocarbamates, 135
2,3,7,8-tetrachlorodibenzo-*p*-dioxin(TCDD), corticosterone, thymic atrophy, adrenal changes, 19
thallous malonate, lipid peroxidation, glutathione, glutathione peroxidase, serum enzyme, hamster, 11
thioacetamide, acetaminophen, carbon tetrachloride, dichloroethane, halothane, hepatotoxicity, lipid peroxidation, misprostol, 213
thymic atrophy, corticosterone, adrenal changes, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin(TCDD), 19
tissue lead levels, lead mobilization, chelate treatment, 277
toxicity, L-triiodothyronine (L-T_3), rat, cynomolgus monkey, 89
toxicity, teratogenicity, acid hydrazides, amphibian model, structure-activity relationships, 147
tributyltin, cell membrane/cytoplasm solubilization, NP_{40}, flow cytometry, zinc, cadmium, 69
trichloroethylene, cytochrome *P*-450, isoenzymes, cytochrome *b*-5, NADPH-cytochrome *c* reductase, induction, 239
L-triiodothyronine (L-T_3), toxicity, rat, cynomolgus monkey, 89
tumor promoter, anthralin (1,8-dihydroxy-9-anthrone), metabolic cooperation, immunotoxicity, polyphenolic, 199

vasocystotomy, nitrobenzene, testes, rat, spermatogenesis, histopathology, 219

xenobiotic compounds, behavioral thermoregulation, metabolic rate, body temperature, regulated hypothermia, pesticides, ethanol, 161

zinc, adriamycin, lipid peroxidation, metallothionein, bismuth, cadmium, 231
zinc, cell membrane/cytoplasm solubilization, NP_{40}, flow cytometry, tributyltin, cadmium, 69

Toxicology, 53 (1988) 369–370
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

AUTHOR INDEX

Volume 53 (1988)

Ando, M. 1
Antal, M. 107
Aoyama, H. 11
Armstrong, C.L. 251
Atterwill, C.K. 89

Ballantyne, B. 179
Baretton, G. 213
Basinger, M.A. 135
Bedó, M. 107
Bhatnagar, M.K. 345
Biles, R.W. 301
Boorman, G.A. 57
Bosakowski, T. 219
Butterworth, B.E. 219

Calp, D. 323
Cihla, H.P. 45
Clayson, D.B. 251
Coursin, D.B. 45

Dall'Olio, R. 315
Davies, S. 89
DePass, L.R. 301
Dey, S.K. 79
di Giovine, S. 315

Earle, L.L. 219
Easterling, R.E. 69
Elstein, K.H. 69

Fujita, T. 289

Gandolfi, O. 315
Geismar, L.S. 331
Gordon, C.J. 161
Gorski, J.R. 19
Govoni, S. 315
Guzzie, P.J. 179

Hagiwara, A. 33
Heger, B. 213
Hirose, M. 33
Hobara, T. 239
Holscher, M.A. 135
Hong, H.H. 57
Hyde, D.M. 113

Iatropoulos, M.J. 19
Imamura, A. 239
Imura, N. 231
Inoue, K. 33
Isobe, N. 33
Ito, N. 33
Iverson, F. 251
Iwamoto, S. 239

Jameson, C.W. 57
Jinno, H. 1
Johnson, D.C. 79
Jones, C.A. 89
Jones, M.M. 135, 277
Jones, S.G. 135

Kaneko, H. 33
Karpinski, K. 251
Kawamoto, T. 239
Kennedy, S. 89
Kerr, J.S. 331
Kobayashi, H. 239
Kogo, H. 79

Last, J.A. 113
Lee, D.M. 89
Levin, A.A. 219
Levin, W. 289
Lewis, S.C. 301
Lok, E. 251

Maratsugu, M. 269
Massaro, E.J. 69
Matsui, S. 1
Matsunaga, H. 33
McKee, R.H. 301
McNeil, S.I. 345
Miyamoto, J. 33
Mohler, F.S. 161
Moresco, R.M. 315
Muzi, G. 19

Naganuma, A. 231
Nagy, K. 107
Nakamura, K. 239
Nera, E.A. 251
Ogino, K. 239
Parkinson, A. 289
Pereira, D.W. 19
Pfeifer, R.W. 199
Poole, A. 89
Putman, D.L. 179
Ranney, T.S. 147
Regöly-Mérei, A. 107
Rezvani, A.H. 161
Riley, D.J. 331
Rozman, K. 19
Ryan, D.E. 289
Safe, S. 289
Saito, K. 33
Sakai, T. 239
Satoh, M. 231
Sayato, Y. 1
Scala, R.A. 301
Schultz, T.W. 147
Sen, M. 79
Si, E.C.C. 199
Siegers, C.-P. 213
Slesinski, R.S. 179
Soós, K. 107
Szépvölgyi, J. 107
Szerletics, M. 107
Takeda, M. 1
Terayama, K. 269
Thomas, P.E. 289
Trabucchi, M. 315
Trelstad, R.L. 331
Turner, C.J. 345
Warren, D.L. 113
Watkinson, W.P. 161
Weber, L.W. 19
Wormser, U. 323
Xu, Z.-F. 277
Yamaura, Y. 11
Yim, G.K.W. 199
Yoshida, M. 11
Yoshitake, A. 33
Younes, M. 213
Zucker, R.M. 69

Toxicology, 53 (1988) 371–373
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

CONTENTS

Volume 53 (1988)

Generation of hypophosphatemia in rats by continuous oral administration of cadium **(Cadmium exposure produces secondary hyperparathyroidism)**
by M. Ando, S. Matsui, H. Jinno, Y. Sayato and M. Takeda (Tokyo and Osaka, Japan) 1–10

Induction of lipid peroxidation in tissues of thallous malonate-treated hamster **(Thallium reduce nonprotein sulphydryls in liver and kidney and decreased the activity of glutathione peroxidase)**
by H. Aoyama, M. Yoshida and Y. Yamamura (Kawasaki, Japan) 11–18

Elevated plasma corticosterone levels and histopathology of the adrenals and thymuses in 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-treated rats **(The question is addressed whether in starving animals thymus histology and plasma corticosterone could be indicators of TCDD toxicity)**
by J.R. Gorski, G. Muzi, L.W. Weber, D.W. Pereira, M.J. Iatropoulos and K. Rozman (Kansas City, KS, Neuherberg, FRG and Pearl River, NY) 19–32

Metabolism of 2- and 3-*tert*-butyl-4-hydroxyanisole in the rat (III): Metabolites in the urine and feces **(Metabolite profiles are given)**
by M. Hirose, A. Hagiwara, K. Inoue, N. Ito, H. Kaneko, K. Saito, H. Matsunaga, N. Isobe, A. Yoshitake and J. Miyamoto (Nagoya and Hyogo, Japan) 33–43

Non-lethal hyperoxic potentiation of lung disease in the rat following subcutaneous administration of bleomycin **(Pulmonary toxicity following systemic bleomycin administration is enhanced by hyperoxia)**
by D.B. Coursin and H.P. Cihla (Madison, WI) 45–55

Residual hematopoietic effect in mice exposed to ochratoxin A prior to irradiation **(Whole body irradiation of ochratoxin A pretreated mice unmasks otherwise unnoticed damage to the bone marrow)**
by H.H.L. Hong, C.W. Jameson and G.A. Boorman (Research Triangle Park, NC) 57–67

Metal-induced alteration of the cell membrane/cytoplasm complex studied by flow cytometry and detergent lysis **(Increased resistance against lysis is probably due to protein denaturation by the metal compounds)**
by R.M. Zucker, K.H. Elstein, R.E. Easterling and E.J. Massaro (Research Triangle Park, NC) 69–78

Multiple estrogenic action of *O,P'*-DDT: initiation and maintenance of pregnancy in the rat **(Data presented suggest that *D,P'*-DDT can act as an estrogen with genomic and non-genomic actions)**
by D.C. Johnson, H. Kogo, M. Sen and S.K. Dey (Kansas City, KS) 79–87

Comparison of the toxicity of orally administered L-triiodothyronine (T_3) in rat and cynomolgus monkey **(Thyroid hormone causes a number of clinico-chemical changes and elicits histological lesions especially in the kidney of rats)**
by C.K. Atterwill, S. Kennedy, C.A. Jones, D.M. Lee, S. Davies and A. Poole (Herts, UK) 89–105

Examination of the interaction of decis and dithane in rats **(Combination toxicology of different pesticides has been studied)**
by J. Szépvölgyi, K. Nagy, M. Bedó, A. Regöly-Mérei, M. Szerletics, K. Soós and M. Antal (Budapest, Hungary) 107–111

Synergistic interaction of ozone and respirable aerosols on rat lungs. IV. protection by quenchers of reactive oxygen species **(Hydrogen peroxide may be involved in ozone-induced lung damage)**
by D.L. Warren, D.M. Hyde and J.A. Last (Davis, CA) 113–133

Dependence on chelating agent properties of nephrotoxicity and testicular damage in male mice during cadmium decorporation **(Cd-complexes which are preferentially excreted in the bile cause little or no nephrotoxicity)**
by S.G. Jones, M.A. Holscher, M.A. Basinger and M.M. Jones (Nashville, TN) 135–146
Structure-activity relationships for osteolathyrism: II. Effects of alkyl-substituted acid hydrazides **(Embryo mortality and malformations correlate with lipophilicity)**
by T.W. Schultz and T.S. Ranney (Knoxville, TN) 147–159

Review Paper
Temperature regulation in laboratory mammals following acute toxic insult
by C.J. Gordon, F.S. Mohler, W.P. Watkinson and A.H. Rezvani (Research Triangle Park and Chapel Hill, NC) 161–178

Research Papers
In vitro and in vivo evaluation of the genotoxic potential of 2-ethyl-1,3-hexanediol **(No evidence for genotoxicity was found)**
by R.S. Slesinski, P.J. Guzzie, D.L. Putman and B. Ballantyne (Bethesda, MD and Danbury, CT) 179–198
Anthralin, a non-phorbol tumor promoter, fails to inhibit metabolic cooperation in mutant human fibroblasts, but inhibits phytohemagglutinin-induced lymphocyte blastogenesis in vitro **(Anthraline in vitro toxicity to lymphocytes does not appear to be mediated by interactions with SH groups)**
by E.C.C. Si, R.W. Pfeifer and G.K.W. Yim (West Lafayette, IN) 199–212
Inhibition of halothane-induced lipid peroxidation by misoprostol without hepatoprotection **(In a multiple hepatotoxin model system misoprostol affects some parameters in rats but does not abolish halothane toxicity)**
by C.-P. Siegers, B. Heger, G. Baretton and M. Younes (Lübeck, FRG) 213–218
The reversibility of nitrobenzene-induced testicular toxicity: continuous monitoring of sperm output from vasocystotomized rats **(Cell types younger than pachytene stage are protected from nitrobenzene toxicity and pachytene spermatocytes and step 1—2 spermatides are the most sensitive)**
by A.A. Levin, T. Bosakowski, L.L. Earle and B.E. Butterworth (Research Triangle Park, NC and Nutley, NJ) 219–230
Involvement of cardiac metallothionein in prevention of adriamycin induced lipid peroxidation in the heart **(Pretreatment of mice with Zn, Bi, Co, Cd or Hg mitigates adriamycin cardiotoxicity and survival after adriamycin is correlated to methallothionein levels in the heart)**
by M. Satoh, A. Naganuma and N. Imura (Tokyo, Japan) 231–237
Induction of cytochrome *P*-450, cytochrome *b*-5, NADPH-cytochrome *c* reductase and change of cytochrome *P*-450 isozymes with long-term trichloroethylene treatment **(Patterns of microsomal enzyme induction in rat liver by TCE resemble those of phenobarbital)**
by T. Kawamoto, T. Hobara, K. Nakamura, A. Imamura, K. Ogino, H. Kobayashi, S. Iwamoto and T. Sakai (Ube, Japan) 239–249
A carcinogenesis reversibility study of the effects of butylated hydroxyanisole on the forestomach and urinary bladder in male Fischer 344 rats **(Lesions induced in rat forestomach by 2% BHT in the diet are unlikely to be relevent to humans exposed to much lower levels of BHA)**
by E.A. Nera, F. Iverson, E. Lok, C.L. Armstrong, K. Karpinski and D.B. Clayson (Ottawa, Canada) 251–268
Effects of lead on sialic acid content and survival of rat erythrocytes **(Lead exposure decreased sialic acid content of red blood cell membranes and shortened survival)**
by K. Terayama and M. Muratsugu (Hokkaido, Japan) 269–276
Comparative mobilization of lead by chelating agents **(Compounds which contain vicinal dithiol groups cause impressive reductions of lead levels in various organs and tissues)**
by Z.-F. Xu and M.M. Jones (Shenyang, People's Republic of China and Nashville, TN) 277–288
Induction of rat liver microsomal cytochrome *P*-450 isozymes and epoxide hydrolase by a series of 4′-substituted-2,3,4,5-tetrachlorobiphenyls **(The importance of the substituent in enzyme induction is discussed)**
by A. Parkinson, P.E. Thomas, D.E. Ryan, W. Levin, T. Fujita and S. Safe (Kansas City, KS, Nutley, NJ, Kyoto, Japan and College Station, TX) 289–300

Dermal carcinogenic activity of petroleum-derived middle distillate fuels **(The tumorigenic potential of middle distillates is characterized by low tumor yield, long latencies and is not related directly to polycyclic aromatic hydrocarbon content)**
by R.W. Biles, R.H. Mckee, S.C. Lewis, R.A. Scala and L.R. DePass (East Millstone, NJ and Export PA).. 301–314
Lead neurotoxicity: a role for dopamine receptors **(Lead exposure of male rats leads to slight alterations in dopamine receptor ligand binding)**
by R.M. Moresco, R. Dall'Olio, O. Gandolfi, S. Govoni, D. Di Giovine and M. Trabucchi (Milan and Rome, Italy) 315–322
Increased levels of hepatic metallothionein in rat and mouse after injection of acetaminophen **(Male mice are more susceptible to the metallothionein-increasing effect than male rats)**
by U. Wormser and D. Calp (Jerusalem, Israel) 323–329
Treatment of experimental silicosis with antifibrotic agents **(Silicotic hamsters are refractory to treatment with beta-amino-propionitrile and *cis*-4-hydroxy-L-proline)**
by L.S. Geismar, J.S. Kerr, R.L. Trelstad and D.J. Riley (New Brunswick, NJ) 331–344
Combined toxicity of ethanol and methylmercury in rat **(An additive effect of ethanol on Hg-induced kidney pathology was found)**
by S.I. McNeil, M.K. Bhatnagar and C.J. Turner (Ontario, Canada) 345–363
Subject Index Volume 53 365–368
Author Index Volume 53 369–370
Volume Contents Volume 53 371–373